DIO-SOLANO

AND STATE OF THE PROPERTY OF THE P

(530) 757-3650 • (800) 287-3650 • Fax (530) 757-3670

September 6, 2011

SATA GmbH & Co. KG Mr. Georg Drakos Postfach 1828 70799 Kornwestheim, GERMANY

RE: Rule 2.26 Transfer Efficiency Conditional Approval of the SATAjet 4000 B RP & SATAjet 4000 B RP DIGITAL ('SATAjet 4000 spray guns')

Dear Mr. Drakos:

The Yolo-Solano Air Quality Management District (District) has performed a compliance review of your product with the requirements of District Rule 2.26 - Motor Vehicle and Mobile Equipment Coating Operations and has examined the conditional written approval from the Environmental Protection Agency (EPA) included with your correspondence.

Rule 2.26, Section 304.5 requires any alternate coating application method achieve a transfer efficiency equivalent to or higher than High-Volume, Low-Pressure (HVLP) spray equipment.

Based on our review of the submitted correspondence and documentation the District agrees that the SATAjet 4000 spray guns are capable of achieving a transfer efficiency equivalent to or greater than HVLP spray equipment.

The District grants conditional approval of the SATAjet 4000 spray guns for use on any motor vehicle or mobile equipment or their parts or components. This approval is subject to the same conditions outlined in the submitted EPA approval letter dated July 27, 2011 and are repeated below for information:

- 1. SATA Farbspritztechnik BmvH & Co. KG (SATA) shall supply written notification with each SATAjet 4000 spray gun sold or distributed for use within the jurisdiction of the District that the spray gun is only approved for the application of coatings subject to District Rule 2.26.
- 2. This approval is only valid if the air pressure supplied to the spray gun is equal to or less than 32 psig. SATA shall supply written notification with each SATAjet 4000 spray gun sold or distributed for use within the District that the maximum air pressure supplied to the spray gun shall not exceed 32 psig.

September 6, 2011 Mr. Drakos Page 2

- 3. SATA shall supply a SATA air micrometer with gauge 0/8455 (product number 27771), SATA adam digital air micrometer with gauge (product number 130146) or SATA adam 2 digital air micrometer with gauge (product number 160853) with each standard (non-digital) SATA jet 4000 spray gun sold or distributed for use within the jurisdiction of the District. SATA shall supply written notification with each standard (non-digital) SATAjet 4000 spray gun sold or distributed within the District that the SATA air micrometer with gauge 0/8455 (product number 27771), SATA adam digital air micrometer with gauge (product number 130146) or SATA adam 2 digital air micrometer with gauge (product number 160853) shall be attached to the spray gun and be in good working condition whenever the spray gun is in operation. The digital SATAjet 4000 spray gun has integrated air micrometers in the handle and are not required to have a separate air micrometer.
- 4. SATA shall provide written notification to buyers/users of the standard (non-digital) SATAjet spray gun that the spray guns must be equipped with a properly operating SATA air micrometer as described in condition number 3 and that the spray guns must be operated at less than or equal to 32 psig when they are used for applying coatings subject to District Rule 2.26.

If you have any questions, please contact me at (530) 757-3650.

Sincerely,

Paul Andrew Hensleigh

Deputy Air Pollution Control Officer